

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	174	S5 and ((print\$5 near3 (job or request\$5)) with (queue\$3 near3 (specif\$9 or designat\$5 or nam\$3 or identif\$9 or label\$5 or assign\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:10
S7	24	S6 and ((match\$5 or compar\$5) with (queue\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:17
S8	2	S6 and ((match\$5 or compar\$5) with (queue\$5) near3 (nam\$3 or identification or id or "i.d." ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:19
S9	3	S5 and ((match\$5 or compar\$5) with (queue\$5) near3 (nam\$3 or identification or id or "i.d." ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:20
S11	23	S5 and ((match\$5 or compar\$5 or determin\$5 or judg\$5 or discriminat\$5) with ((queue\$5) near3 (nam\$3 or identification or id or "i.d." )))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:21
S10	23	S5 and ((match\$5 or compar\$5 or determin\$5 or judg\$5 or discriminat\$5) with (queue\$5) near3 (nam\$3 or identification or id or "i.d." ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:21
S13	2	S11 and ((error or residual or mismatch\$5 or supplement\$5 or erron\$7 or undefin\$5 or temp\$6) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:24
S12	2	S11 and ((error or residual or mismatch\$5 or supplement\$5 or erron\$7 or undefin\$5) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:24
S14	3	S11 and ((error or residual or mismatch\$5 or supplement\$5 or erron\$7 or undefin\$5 or temp\$6 or buffer\$5) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:25
S16	34165	((print\$5 near3 (job or request\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:27
S15	1	S5 and (((match\$5 or compar\$5) near3 queue\$5) same (((forward\$5 or transfer\$5 or rout\$3 or transport\$5) near4 queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:27
S5	8359	((receiv\$5 or accept\$5) near4 (print\$5 near3 (job or request\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:27
S19	3	S16 and (((match\$5 or compar\$5) near3 queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or number or naming or label\$3 or value)) same (((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or distribut\$5) near4 queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:33

## EAST Search History

S18	8	S16 and (((match\$5 or compar\$5) near3 queue\$5) same ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or distribut\$5) near4 queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 11:33
S21	3	S20 and (((match\$5 or compar\$5) near3 queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or number or naming or label\$3 or value)) same ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or distribut\$5) near4 queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:06
S22	2	S20 and (((match\$5 or compar\$5) same (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or number or naming or label\$3 or value))) same ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or distribut\$5) near4 queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:08
S23	24	S20 and ((match\$5 or compar\$5) with (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or number or naming or label\$3 or value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:14
S27	0	S25 and ((exist\$5) with (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or naming or label\$3 or value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:26
S26	0	S25 and ((match\$5 or compar\$5) with (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or naming or label\$3 or value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:26
S25	96	("5559933").URPN.	USPAT	OR	ON	2006/05/18 13:26
S24	10	S20 and ((match\$5 or compar\$5) with (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or naming or label\$3 or value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:26
S29	8	S20 and ((exist\$5) with (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or naming or label\$3 or value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:27
S28	17	S20 and ((match\$5 or compar\$5 or exist\$5) with (queue\$5 near2 (name or designat\$5 or identification or id or "i.d." or naming or label\$3 or value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:27
S17	6	S16 and (((match\$5 or compar\$5) near3 queue\$5) same ((forward\$5 or transfer\$5 or rout\$3 or transport\$5) near4 queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:29
S31	21	S30 and ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:34
S33	36193	S20 ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near4 (new or different or residual or temp or temporary or wait\$4 or surplus or unmatched\$5 or undefin\$5 or unidentif\$9) near4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:36
S32	3	S30 and ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near4 (new or different or residual or temp or temporary or wait\$4 or surplus or unmatched\$5 or undefin\$5 or unidentif\$9) near4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:36

## EAST Search History

S30	60	S20 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (exist\$5 or preexist\$5) near5 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:45
S35	232	((print\$5 near3 (job or request\$5))) with (queue\$5 near3 (name or designat\$9 or identification or id or "i.d." or value or setting or option or nam\$3 or field or assignment or assigning or assign\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:56
S36	6	S35 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (exist\$5 or preexist\$5 or present or presence) near5 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:57
S38	25	S37 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (exist\$5 or preexist\$5 or present or presence) near5 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 13:58
S39	4	S37 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (exist\$5 or preexist\$5 or present or presence) near1 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:01
S37	324	((print\$5 near3 (job or request\$5))) same (queue\$5 near3 (name or designat\$9 or identification or id or "i.d." or value or setting or option or nam\$3 or field or assignment or assigning or assign\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:01
S41	4	S40 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (exist\$5 or preexist\$5 or present or presence) near1 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:02
S43	52	S40 and ((invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or nonexist\$5 or non-exist\$5 or pre-exist\$5 or present or presence) near3 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:07
S44	408	((copy\$5 or scan\$5 or print\$5) near3 (job or request\$5 or task\$3))) same (queue\$5 near3 (name or designat\$9 or identification or id or "i.d." or value or setting or option or nam\$3 or field or assignment or assigning or assign\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:08
S40	335	((print\$5 near3 (job or request\$5 or task\$3))) same (queue\$5 near3 (name or designat\$9 or identification or id or "i.d." or value or setting or option or nam\$3 or field or assignment or assigning or assign\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:08
S42	9	S40 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or present or presence) near3 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:09
S46	236	print\$5 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (valid\$5 or invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or present or presence) near3 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:15
S50	85	S49 same ((creat\$5 or produc\$5 or generat\$5) near4 (temp or temporary or residual or new or different) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:18

## EAST Search History

S48	2	S47 and ((creat\$5 or produc\$5 or generat\$5) near4 (temp or temporary or residual or new or different) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:18
S47	30	print\$5 same ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (valid\$5 or invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or present or presence) near3 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:18
S34	50	S20 and-((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near4 (new or different or residual or temp or temporary or wait\$4 or surplus or unmatched\$5 or undefin\$5 or unidentif\$9) near4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:27
S52	4	S51 and (print\$5 near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:32
S53	117	((valid\$5 or invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or present or presence or undefin\$5 or unavailab\$5) near3 (queue\$5) near3 (name or identification or id or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:35
S49	6291	((valid\$5 or invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or present or presence) near3 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:35
S51	78	S49 same ((forward\$5 or transfer\$5 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near4 (new or different or residual or temp or temporary or wait\$4 or surplus or unmatched\$5 or undefin\$5 or unidentif\$9) near4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:36
S54	4	S53 with ((forward\$5 or transfer\$5 or rerout\$3 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:39
S55	14	S53 same ((forward\$5 or transfer\$5 or rerout\$3 or rout\$3 or transport\$5 or assign\$5 or reassign\$9) near3 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:40
S45	13	S44 and ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near5 (valid\$5 or invalid\$5 or error or erron\$5 or exist\$5 or preexist\$5 or present or presence) near3 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:49
S56	101	(print\$5 near3 server) same ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near4 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:50
S57	5	(print\$5 near3 server) same ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near4 (queue\$5) near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:54
S58	101	(print\$5 near3 server) same ((determin\$9 or check\$5 or compar\$5 or match\$6 or find\$5 or search\$5) near4 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:13

## EAST Search History

S59	5	(destination near3 queue) and boswell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:17
S60	1	"5559933".pn. and (queue same file same transfer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:18
S61	1	"5559933".pn. and (queue same file same transfer\$5 same exist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:21
S62	1	"5559933".pn. and (queue with exist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:35
S63	1	"5559933".pn. and (transfer\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:48
S65	1	"5559933".pn. and (fail\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:50
S64	1	"5559933".pn. and (transfer\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:50
S66	1	"5559933".pn. and (fail\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:51
S67	1	"5559933".pn. and (destination near3 queue near8 exist\$5) and (fail\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:52
S69	0	"5559933".pn. and (plural\$5 near5 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:55
S68	1	"5559933".pn. and (primary adj2 path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:55
S71	1	"5559933".pn. and (destination near3 exist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:10
S70	1	"5559933".pn. and (multiple near5 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:10

## EAST Search History

S20	34165	((print\$5 near3 (job or request\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:11
S73	0	((print\$5 near3 (job or request\$5))) and ( ((match\$5 or compar\$5) near3 queue) same (primary near3 queue) same (secondary near3 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:12
S72	2	((print\$5 near3 (job or request\$5))) same (primary near3 queue) same (secondary near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:12
S74	3	((print\$5 near3 (job or request\$5))) and ( ((match\$5 or compar\$5 or determin\$9 or judg\$5 or identif\$9) near3 queue) same (primary near3 queue) same (secondary near3 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:18
S75	2	((print\$5 near3 (job or request\$5))) and ( ((match\$5 or compar\$5 or determin\$9 or judg\$5 or identif\$9) near3 queue near5 nam\$3) same ((first or active or primary) near3 queue) same ((second or temporary or holding or delay\$5 or secondary) near3 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:19

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((undefin\$5 or unmatched\$5 or nonexistent\$5 or non-exist\$5) near3 queue near3 (name or identifier or number or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 17:45
S2	1	"5860066".pn. and (print\$3 adj2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 18:12
S3	0	"5860066".pn. and (print\$3 adj2 queue) same unmatched\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 17:46
S4	1	"5860066".pn. and (index near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 17:56
S5	1	"5860066".pn. and (print\$3 with distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 18:12
S6	1	"5860066".pn. and (print\$3 same distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 18:14
S7	0	"5860066".pn. and (output\$5 same distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 18:14

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	16	((print\$5 near3 (job or request\$5))) and ((erron\$9 or invalid or non-exist\$5 or nonexistent\$5 or unknown or unidentif\$9) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:16
S2	2	((print\$5 near3 (job or request\$5))) and ( ((match\$5 or compar\$5 or determin\$9 or judg\$5 or identif\$9 or check\$5 or verif\$9) near3 queue near5 (identification or id or "i.d." or "i. d." or label\$3 or nam\$3)) same ((first or active or primary or valid) near3 queue) same ((second or temporary or holding or delay\$5 or secondary or invalid or erron\$5 or error) near3 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:16
S4	8	((print\$5 near3 (job or request\$5))) and ((conver\$5 or transform\$5 or reassign\$6 or chang\$5) near3 queue near5 (nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:18
S5	9	((print\$5 near3 (job or request\$5))) and ((conver\$5 or transform\$5 or reassign\$6 or chang\$5 or modif\$9) near3 queue near5 (nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:19
S6	10	((print\$5 near3 (job or request\$5))) and ((conver\$5 or transform\$5 or reassign\$6 or chang\$5 or modif\$9 or overrid\$5) near3 queue near5 (nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:21
S8	0	((print\$5 near3 (job or request\$5))) and ((substitut\$5) near3 queue near5 (nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:22
S9	3	((print\$5 near3 (job or request\$5))) and ((alter\$5) near3 queue near5 (nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:23
S10	358	((print\$5 near3 (job or request\$5))) and ((conver\$5 or transform\$5 or reassign\$6 or chang\$5 or modif\$9 or overrid\$5 or replac\$5 ) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:24
S7	10	((print\$5 near3 (job or request\$5))) and ((conver\$5 or transform\$5 or reassign\$6 or chang\$5 or modif\$9 or overrid\$5 or replac\$5 ) near3 queue near5 (nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:24
S11	27	((print\$5 near3 (job or request\$5))) and (((conver\$5 or transform\$5 or reassign\$6 or chang\$5 or modif\$9 or overrid\$5 or replac\$5 ) near3 queue) same (queue near4 (busy or invalid or erron\$9 or exist\$5 or nonexistent\$5 or inexist\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:28
S12	1	"5559933".pn. and (transfer\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:40
S17	1	"5559933".pn. and (mask\$5 with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:44



## EAST Search History

S15	0	"5559933".pn. and (filter\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:44
S14	0	"5559933".pn. and (filter\$5 with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:44
S13	1	"5559933".pn. and ((primary or alternate) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 14:44
S1	2	((print\$5 near3 (job or request\$5))) and ( ((match\$5 or compar\$5 or determin\$9 or judg\$5 or identif\$9) near3 queue near5 (identification or id or "i.d." or "i. d." or label\$3 or nam\$3)) same ((first or active or primary or valid) near3 queue) same ((second or temporary or holding or delay\$5 or secondary or invalid or erron\$5 or error) near3 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 09:54
S20	0	(reassign\$5 near3 queue near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 09:57
S22	1	(reassign\$5 near4 print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 09:58
S21	1	(reassign\$5 same print\$5 near3 queue near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 09:58
S19	0	(reassign\$5 near4 print\$5 near3 queue near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 09:58
S26	12	S25 and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:00
S24	25	((chang\$3 or modif\$9 or alter\$5 or reassign\$5) near3 queue near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:00
S23	10	((chang\$3 or modif\$9 or alter\$5 or reassign\$5) near4 print\$5 near3 queue near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:00
S25	28	((chang\$3 or modif\$9 or alter\$5 or reassign\$5) near3 queue near3 nam\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:02
S27	29	((chang\$3 or modif\$9 or alter\$5 or reassign\$5) near3 queue near3 nam\$3) or (renam\$3 near3 (print\$5) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:05

## EAST Search History

S31	160	S28 same ((invalid\$5 or valid or exist\$5 or non-exist\$5 or nonexist\$5) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:11
S30	40	S29 and ((invalid\$5 or valid or exist\$5 or non-exist\$5 or nonexist\$5) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:11
S29	314	S28 and (print\$3 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:12
S34	12	S33 and (print\$3 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:14
S32	9	S31 and (print\$3 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:14
S28	4644	((chang\$3 or modif\$9 or alter\$5 or reassign\$5) near3 queue) or (renam\$3 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:14
S33	71	((((chang\$3 or modif\$9 or alter\$5 or reassign\$5) near3 queue) or (renam\$3 near2 queue)) same (queue near3 nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:16
S36	1	(undefin\$5 or unknown or nonexist\$5 or invalid or bad or error) near3 (queue near2 name) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:18
S35	10	(undefin\$5 or unknown or nonexist\$5 or invalid or bad) near3 (queue near2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:18
S38	75	(queue near2 name) near3 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:19
S37	2	(undefin\$5 or unknown or nonexist\$5 or invalid or bad or error) near3 (queue near2 name) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:19
S41	7	S39 and ((undefin\$5 or unknown or nonexist\$5 or invalid or bad or error) near3 (name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:20
S42	114	(spool near3 queue) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:21

## EAST Search History

S39	83	(queue near2 nam\$3) near3 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:21
S44	0	S43 and ((undefin\$5 or unknown or nonexistent\$5 or invalid or bad or error) near3 (spool near2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:22
S40	1	S39 and ((undefin\$5 or unknown or nonexistent\$5 or invalid or bad or error) near3 (queue near2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:22
S48	27	(queue near3 linked-list) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:23
S47	0	(queue near3 linked-list) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:23
S46	0	(queue near3 linked-list) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:23
S45	83	(queue near3 linked-list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:23
S50	0	(linked-list near2 nam\$3) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:24
S49	0	(linked-list near2 nam\$3) near3 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:24
S43	24	(spool near2 nam\$3) near3 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:24
S52	1	(print\$5 near3 (job or request) same (queue near3 nam\$3) near3 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:25
S51	1	(print\$5 near3 (job or request) with (queue near3 nam\$3) near3 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:26
S55	149	(print\$5 near3 (job or request) with (queue near3 (number or id or identification or nam\$3 or "i.d." or "i. d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:28

## EAST Search History

S54	86	(print\$5 near3 (job or request) with (queue near3 (id or identification or nam\$3 or "i.d." or "i. d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:28
S53	56	(print\$5 near3 (job or request) with (queue near3 nam\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:28
S56	8	S55 and ((check\$5 or verif\$9 or compar\$5) near5 (queue near3 (number or id or identification or nam\$3 or "i.d." or "i. d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:44
S57	1	"5287434".pn. and (history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:52
S59	14	((conver\$5 or chang\$3 or modif\$9 or reassign\$9 or rewrit\$5 or overwrit\$5 or overrid\$5) near4 (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:54
S58	14	((conver\$5 or chang\$3 or modif\$9 or reassign\$9) near4 (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:54
S61	25	((conver\$5 or chang\$3 or modif\$9 or reassign\$9 or rewrit\$5 or overwrit\$5 or overrid\$5 or transfer\$5) near6 (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:56
S60	18	((conver\$5 or chang\$3 or modif\$9 or reassign\$9 or rewrit\$5 or overwrit\$5 or overrid\$5) near6 (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:56
S62	7	(( transfer\$5) near6 (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 10:59
S63	34	(( transfer\$5 or moving or moved or copied or copying or copy or add\$3) near6 (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:00
S65	0	(( updat\$3 ) near6 (queue adj2 name) near3 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:01
S64	2	(( chang\$5 or alter\$5 or modif\$9 or transfer\$5 or moving or moved or copied or copying or copy or add\$3) near6 (queue adj2 name) near3 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:01
S71	8	(( updat\$3 or renew\$5 or refresh\$5 or chang\$5 or alter\$5) near6 (queue adj2 name) ) and (print\$5 near5 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:04

## EAST Search History

S70	20	(( updat\$3 or renew\$5 or refresh\$5 or chang\$5 or alter\$5) near6 (queue adj2 name) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:04
S69	19	(( updat\$3 or renew\$5 or refresh\$5 or chang\$5) near6 (queue adj2 name) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:04
S68	7	(( updat\$3 or renew\$5 or refresh\$5) near6 (queue adj2 name) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:04
S67	7	(( updat\$3 or renew\$5) near6 (queue adj2 name) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:04
S66	7	(( updat\$3 ) near6 (queue adj2 name) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:04
S18	2	"5559933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:08
S74	1	"5559933".pn. and fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:14
S73	1	"5559933".pn. and ((primary adj2 path) same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:14
S72	1	"5559933".pn. and (destination adj2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:18
S75	1	"5559933".pn. and (queue same error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:20
S76	1	"5559933".pn. and (queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:24
S77	2	"5559933".pn. and (transfer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:29
S79	0	"5559933".pn. and (recogni\$9 with transfer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:47

## EAST Search History

S78	2	"5559933".pn. and (transfer\$5 same (match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 11:47
S80	1	"5559933".pn. and ((determin\$5 or recogni\$9) with transfer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:06
S83	0	"5880447".pn. and daemon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:36
S82	0	"5880447".pn. and lpd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:36
S81	2	"5880447".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:36
S84	0	"5880447".pn. and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:37
S85	216	((print\$5 near3 (job or request\$5))) and (lpd or (line adj2 printer adj2 daemon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:38
S87	11	((print\$5 near3 (job or request\$5))) same (command) same (transmi\$9) same (lpd or (line adj2 printer adj2 daemon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:39
S86	34175	((print\$5 near3 (job or request\$5))) (command) same (transmi\$9) same (lpd or (line adj2 printer adj2 daemon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:39
S16	0	"5559933".pn. and (filter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:51
S88	1	"5559933".pn. and (mask\$5 same (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 13:54
S91	2	"5559933".pn. and (mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 14:49
S90	0	"5559933".pn. and (plural\$5 near3 mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 14:49

## EAST Search History

S89	1	"5559933".pn. and (destination adj2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 14:49
S92	1	"5559933".pn. and (mask same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:00
S94	1	"5880447".pn. and ((client) same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:01
S93	1	"5559933".pn. and (client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:01
S96	0	"5880447".pn. and ((client) same job same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:02
S95	0	"5880447".pn. and ((client) same job same transmi\$9 same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:02
S98	0	"5880447".pn. and ((client) near3 compute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:03
S10 2	1	"5880447".pn. and ((client) with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:04
S10 1	0	"5880447".pn. and ((client) near3 computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:04
S10 0	1	"5880447".pn. and ((client) same computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:04
S99	0	"5880447".pn. and ((client) same compute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:04
S97	1	"5880447".pn. and ((client) same request\$5 same transmi\$9 same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:14
S10 3	1	"5880447".pn. and (print\$5 near3 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:15

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8819	358/1.13,1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 17:54
L3	102	2 and ((queue) near3 (name or naming or designation or identifier or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 17:55
L4	12	3 and ((unassign\$5 or anonymous or default or undefin\$3 or unmatch\$5 or nonexistent\$5 or exist\$5) near3 print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 17:56